

APPENDIX L.1

ARCHAEOLOGICAL INVENTORY

SITE CH2**SMR No:**

KE095-005

TOWNLANDS:

Grousemount

CLASSIFICATION:

Anomalous Stone

Group

ITM:

509799 570260

PROTECTION:

RMP; KFLAP; KCDP

This monument is located in moorland/bogland on the SW-facing slope of Lacabaun Mountain and is not depicted on any O.S. maps.

The monument comprises a rectangular arrangement of four non-contiguous stone slabs, with the long axis aligned NE-SW. The NE slab (H: 0.8m; 0.7m x 0.1m) is upright and lies parallel to the SW slab (H: 1.22m; 1.2m x 0.12m) at a distance of 3.4m. The SW slab is also upright and has a notch carved on its upper surface. The SE slab (H: 1.22m; 1m x 0.15m) is upright and has a notch on its SW edge, while the NW slab (H: 0.15m; 0.05m x 0.06m), which is parallel, barely protrudes above the surface of the bog at a distance of 2.9m

It is likely, given the evidence, that this monument may represent a chambered tomb or a stone ring/circle (Walsh, 1997, 11).



View from NE



View from S

SITE CH3**SMR No:**

KE094-030

TOWNLAND:

Knockanuha

CLASSIFICATION:

Wedge Tomb

ITM:

505922 569453

PROTECTION:

RMP; KFLAP; KCDP

This monument is not indicated on O.S. maps and is situated in rough, boggy moorland on a SW sloping ridge at the head of a valley to the northwest of Carran in the Shehy Mountains.

The monument comprises a wedge-shaped chamber (L: 1.6m at WNW end) aligned WNW to ESE. Two side-stones make up the N and S sides of the tomb, though a gap between the stones on the S side suggests that there was a third stone, now missing. A single septal-stone closes the WNW end of the chamber and a back stone is visible at the ESE end. Projecting sidestones, as well as fallen stones outside the WNW end, suggest a short portico. The large roof stone (2.35m x 2.1m; T: 0.27m) rests on each of the sidestones. Single orthostats on the N and S sides of the tomb probably represent an outer wall.

SITE CH4**SMR No:**

KE094-026

TOWNLAND:

Knockanuha

CLASSIFICATION:

Archaeological Complex

PROTECTION:

RMP; KFLAP; KCDP

This archaeological complex comprises a total of 11 individual elements, as follows:

KE094-026001; Field Boundaries; ITM: 505156 569382

Situated in rough pasture on a S-facing hill slope to the north of Carran Mountain. It comprises relict field walls (T: c.0.5m; H: c. 0.4m), some of which have been exposed in cutaway bog. The walls form a roughly semi-circular area defined by a linear NE-SW wall (L: c. 350m), which is abutted at both ends by a curvilinear wall projecting to the SE.

KE094-026002; Field Boundaries; ITM: 505710 569473

Situated in rough pasture on a SW-facing hill slope to the north of Carran Mountain. This network of relict field walls covers and roughly triangular area (c. 300m E-W at the N extremity; narrowing to SW for a distance of c. 500m), with stone walls (T: 0.5-0.6m; H: 0.3-0.4m) occurring intermittently throughout. Upright stones, set at right angles to the line of the wall also occur in places.

KE094-026003; Fulacht Fiadh (possible); ITM: 505288 568963

Situated on hill pasture on a S-facing slope to the north of Carran Mountain and c. 75m N of a tributary of the Slaheny River. It comprises a roughly circular, grass-covered mound (5.5m N-S; 5m E-W; H: 0.5m) of burnt material.

KE094-026005; Hut Site; ITM: 505748 569340

In rough pasture on a SW-facing slope to the N of Carran Mountain. The remains of a circular hut site (3.1m N-S; 3.65m E-W) defined by a drystone wall (T: 0.7m; H: c. 0.6m) that abuts the south face of a relict field boundary.

KE094-026006; Hut Site; ITM: 505762 569350

Situated 2m to E of KE094-026005. The remains of a circular hut site (ø 2.4m) defined by a bank (W: 0.6m; H: c. 0.3m) of peat and stones.

KE094-026007; Field Boundaries (prehistoric); ITM: 505803 569370

Situated in hill pasture on a SW-facing slope to the N of Carran Mountain. An E-W curvilinear stone wall extends for a length of c. 200m from a stream at E to another stream at W. A shorter stretch branches for a distance of c.60m to the NW from the centre of the curvilinear wall before veering W to terminate at a stream. The walls (T: 0.2m; H: 0.75m) are collapsed, with fallen stones protruding through the bog. The walls appear to be set on clay soil beneath the blanket bog and disappear where the depth of bog increases. Upright stones (H: 0.75m) occur at intervals along the walls. Four hut sites abut the S face of the curving field boundary.

KE094-026008; Field Boundaries; ITM: 504741 569508

Situated in hill pasture on a S-facing slope to the north of Carran Mountains. A network of relict walls, occupying an area c. 250m E-W x c. 100m N-S, comprises stretches of mostly collapsed linear (L: 10 – 40m) curvilinear and irregular walls, disappearing into deeper bog. The walls are c. 0.65m thick and protrude in places over the bog surface to heights of 0.4m. Upright stone slabs and large boulders occur intermittently along the lines of the walls.

KE094-026009; Fulacht Fiadh; ITM: 504793 569072

Situated in rough pasture on SW-facing slope, c. 15m W of a stream. The monument comprises a kidney-shaped, heather-covered mound (11.5m NE-SW; 7.6m NW-SE; Height: 0.9m) of burnt material. The opening (3.2m NW-SE; 2.3m NE-SW) faces onto marshy land. An oval mound (4m NE-SW; 3.8m NW-SE; Height: 0.4m), separated from the main mound by a level area may have originally formed the tip of the NW arm.

KE094-026010; Hut Site; ITM: 505747 569340

In rough pasture on a SW-facing slope to the N of Carran Mountain. The remains of a circular hut site (ø 2.2m) defined by a bank (W: 0.7m; H: 0.2m) of earth and stones and abutting the S face of a relict field boundary.

KE094-026011; Hut Site; ITM: 505764 569356

Situated 2m to E of KE094-026010, it consists of the remains of a circular hut site (ø 2.2m) defined by a bank (W: 0.7m; H: c. 0.3m). The SW sector is raised to form a level interior.

KE094-026012; Fulacht Fiadh; ITM: 505146 569128

Situated in rough pasture on a SW-facing slope to N of Carran Mountain. A grass-

covered horseshoe-shaped mound (7.6m NE-SW; 5.8m SE-NW; Height: 0.6m) of burnt material, with the opening facing NW. The top of the mound is flat, apart from a slight depression in the centre.

SITE CH5

SMR No:

KE094-046

TOWNLAND:

Ballagh

CLASSIFICATION:

Field System

(prehistoric)

& Hut Sites

ITM:

505587 567867

PROTECTION:

RMP; KFLAP; KCDP

This monument, which is not marked on any O.S. maps, is situated in rough pasture on the lower east-facing slopes of Carran Mountain.

It comprises a relict field system occupying an area of c. 240m N-S x 120m E-W. It is best preserved at the south, where long stretches of a collapsed field wall protrude above thin peat cover. An E-W linear wall (L: c. 110m) is located at the S end of the system and a link wall extends NW for a distance of c. 35m from its W end, while a further wall extends NW for a length of c. 70m from its E end. At this NW point a link wall branches off to the W, while the NW-running wall continues for a further c. 90m before turning NE for a distance of c. 80m. Another wall, located in the W portion of the system, forms a roughly inverted U-shape. This wall extends N for a length of c. 25m before veering E for a distance of c. 30m, after which it turns S for a distance of c. 20m. Upright stones, standing to a maximum height of 0.5m, occur at irregular intervals along this wall. In general, the walls appear to be set on a clay bed beneath the bog.

There are ten hut sites within this pre-bog field system, as follows:

KE094-04601; ITM: 505550 567913

The remains of a circular hut site (3.1m E-W; 2.9m N-S), defined by a drystone wall (T: 0.6m; H: 0.4m) and with a collapsed entrance to the N, is located within the W side of the field system.

KE094-04603; ITM: 505598 567985

This circular (Ø 2.4m) hut site is defined by a drystone wall (T: 0.6m; H: 0.75m) from SSE-N and by the tops of stones, partially grass covered and protruding the bog surface, from N-SSE.

KE094-04604; ITM: 505629 568005

This comprises the remains of an oval hut site (5m N-S; 2.75m E-W) defined by a drystone wall (T: 0.9m; H: c. 0.5m) with an entrance to the W leading into an adjacent hut site (KE094-04610).

KE094-04605; ITM: 505640 568022

This comprises the remains of a circular hut site (2.4m N-S; 2.2m E-W) defined by a collapsed drystone wall (T: 0.6m; H: 0.5m) with the entrance to the NE.

KE094-04606; ITM: 505661 568041

This comprises the remains of an oval hut site (3.9m E-W; 2.4m N-S) defined by a collapsed drystone wall (T: c. 0.6m; H: 0.4m). A relict wall of the adjacent field system abuts the hut site along the SSE arc and an adjacent hut site (KE094-046011) abuts it to the N.

KE094-04607; ITM: 505629 568050

This comprises the remains of an oval hut site (3.4m E-W; 2.1m N-S) defined by an earth-and-stone bank (W: c. 0.6m; H: 0.15m) and situated towards the NE extremity of the field system.

KE094-04608; ITM: 505665 568063

This comprises the remains of a subcircular hut site (2m E-W; 1.6m N-S) defined by an earth-and-stone bank (W: c. 0.7m; H: 0.15m).

KE094-04609; ITM: 505653 567018

This comprises a circular hut site (2.5m N-S; 1.6m E-W) defined by a drystone wall (T: 0.6m; H: 0.4m) with the entrance to the NE. An adjoining hut site (KE094-04601) abuts it to the SW.

KE094-046010; ITM: 505625 568005

This comprises the remains of a D-shaped hut site (2.3m E-W) defined by a drystone wall (T: c. 0.6m; H: c. 0.4m) with a straight E side (L: 2.7m N-S). Only a few stones of the S wall survive and the entrance in the E wall leads into an adjacent hut site (KE094-04604).

KE094-046011; ITM: 505661 568044

This comprises the remains of a circular hut site (2.6m N-S; 2.4m (E-W) defined by a collapsed drystone wall (T: c. 0.6m; H: 0.3m). It is more ruinous than that of an adjoining site to the south (KE094-04606).

SITE CH6**SMR No:**

KE094-054

TOWNLAND:

Ballagh

CLASSIFICATION:

Cairn - unclassified

ITM:

505217 567953

PROTECTION:

RMP; KFLAP; KCDP

This monument, which is not indicated on any O.S. maps, is situated in an area of rough pasture and on a spur of rock on top of Carran Mountain.

It comprises a roughly circular cairn (13m N-S; 12m E-W); H: 2m) comprising stones of varying shapes and sizes. The surface is uneven where stones have been removed, while some stones have spilled sown the slope. A small modern cairn has been constructed at the centre.

SITE CH7**SMR No:**

KE094-066

TOWNLAND:

Ballagh

CLASSIFICATION:

Hut Site/Field System

ITM:

504899 568195

PROTECTION:

RMP; KFLAP; KCDP

This Monument comprises two elements, as follows:

Hut Site; KE094-066

This is situated on rough mountain pasture of the north-facing slope of Carran Mountain and is not indicated on O.S. maps. It comprises a D-shaped hut site (3m E-W) defined by a collapsed drystone wall (T: 0.6m; H: 0.5m) with a straight W side drystone wall (L: 4.4m N-S).

Field System; KE094-0601

This abuts the W side of the hut site and comprises the remains of a collapsed relict wall (W: 0.7m; H: 0.4m) that extends in a general NW-SE direction for a distance of c. 180m and, generally protrudes above shallow bog.

SITE CH8**SMR No:**

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site - possible

ITM:

509021 570872


PROTECTION:

N/A

This feature is situated in a pasture filed in the eastern side of the River Roughy and on relatively flat lands at the base of a west-facing slope. It was noted during field work undertaken by the writer in 2010.

The feature is barely discernible on the ground surface. It comprises a central raised circular area (ø c. 3m; H: 0.1m) surrounded by a possible fosse (W: c. 1.2m; D: 0.1 – 0.15m) outside of which in turn is surrounded by a slightly raised area (remains of bank?) which is c. 1m wide and 0.1m high.

The morphology of the feature is reminiscent of a hut site.



View from W

SITE CH9**SMR No:**

N/A

TOWNLAND:

Barnastooka

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

506151 571620

This possible monument was noted during a programme of archaeological testing undertaken with respect to Barnastooka Wind Farm in 2010 (Cummins, 2010)

The foundations of this sub-circular hut site were identified on a level terrace on the south facing slope. It comprises a collapsed wall measuring up to 2m in thickness and enclosed an internal area measuring 2.06m north-south by 2.7m east-west.

PROTECTION:

N/A



View from NE

SITE CH10**SMR No:**

N/A

TOWNLAND:

Barnastooka

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

506556 571331

PROTECTION:

N/A

This possible monument was noted during a programme of archaeological testing undertaken with respect to Barnastooka Wind Farm in 2010 (Cummins, 2010).

The foundations of this sub-circular hut site were identified on a level terrace on the south facing slope. It comprises a collapsed wall measuring up to 1.5m in thickness and enclosed an internal area measuring 1.6m north-south by 2m east-west. A 1m wide gap in the east wall appears to form the entrance.



Interior from W

SITE CH11**SMR No:**

KE094-031

TOWNLAND:

Ballagh

CLASSIFICATION:

Rock Scribing (possible)

ITM:

Not Precisely Located

The files of the Archaeological Survey of Ireland note that "in the 1930s Capt. D.B. O'Connell recorded that 'a flat flagstone lies in a field beside the river. It is shaped somewhat like a rough modern gravestone and is about 4½ ft [1.37m] long by 3 ft [0.9m] wide. One side of it is scored hither and over (KAS)". Byrne *et al* (2009, 57) further note that "the precise location of this stone is not known and it could be in those parts of Ballagh townland that occur on OS 6-inch maps 95 and 103.

SITE CH12**SMR No:**

N/A

TOWNLAND:

Barnastooka

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

506128571494

This monument is located in a sheltered area, on a S-facing slope of Barnastooka ridge and not marked on any OS maps. Circular area (dims. 7.5m N-S; 6m E-W) defined by low drystone wall (average H 0.5m). Interior level and grass covered. There are three hut sites (CH12; CH13 & CH14) at this location, in a general N-S alignment.



View from NE

SITE CH13

SMR No:

N/A

TOWNLAND:

Barnastooka

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

506099 571632

This is situated on a SW-facing slope of Barnastooka ridge and not marked on any O.S. maps. Sub-circular area (dims. 2.75m E-W; 2m N-S) defined by low, moss covered drystone wall (average H 0.2m). Interior is level and grass covered. Linked to hut site (CH14) by an intermittent, gently winding, narrow stone wall.



View from E

SITE CH14

SMR No:

N/A

TOWNLAND:

Barnastooka

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

506123 571590

Located c. 50m to SE of hut site CH13. Circular area (dims. 3.5m NE-SW; 3.25m NW-SE) defined by a drystone wall (H 0.3-0.45m).



View from E

SITE CH15

SMR No:

N/A

TOWNLAND:

Barnastooka

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

506477 571479

A 'D-shaped' area (dims. 2.2m NW-SE; 1.5m NE-SW) defined by the remains of a low, drystone wall (Wth 0.5m; H 0.2-0.35m) NE->S->W and utilises a natural rock face to NW. It is cut into the slope N->NE where a type of retaining wall (int. H 0.4m) has been built to compensate for the incline. The interior is generally level with stone collapse from the enclosing walls evident within the perimeter.



View from SW

SITE CH16

SMR No:

N/A

TOWNLAND:

Coolnagoppoge

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

507090 571642

Sub-triangular area (dims. 6m NE-SW; 4m NW-SE) defined by low, intermittent drystone wall S->W->N and utilising the face of a natural rock outcrop (H c. 2m) to E. Interior is grass covered with a steep S-facing slope.



View from S

SITE CH17

SMR No:

N/A

TOWNLAND:

Coolnagoppoge

CLASSIFICATION:

Booley Hut &

Rectangular

Enclosure/Sheepfold

ITM:

507649 572048

Rectangular area (dims. 20m E-W; 10m N-S) defined by earth and stone bank (Wth 2.1m; int. H 0.1m; ext. H 0.7m) N->E->SW and W->NW, and largely overgrown, possibly representing a sheepfold. This feature has been raised on the downslope (E) to create a relatively level interior, which incorporates a raised sub-rectangular (booley hut -platform?) area (dims. c. 8m N-S; c. 2m N-S).



View from W

SITE CH18

SMR No:

N/A

TOWNLAND:

Coolnagoppoge

CLASSIFICATION:

Rectangular

Enclosure/Sheepfold

ITM:

506782 571756

Rectangular area (dims. c. 10m N-S; c. 7m E-W) defined by scarp (Wth 0.75m; H 0.45m) of earth and stone E->S->W and a portion of low, poorly preserved bank (Wth 0.7m; int. H 0.4m; ext. H 0.4m). Interior is level and has been raised at S to compensate for hillslope; largely overgrown.



Bank at NNW

SITE CH19

SMR No:

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

509043 569227

This is one of a cluster of five hut sites (CH19, -20, -21, -22 & -24) in this particular area. Oval area (dims. 8m N-S; 6m E-W) defined by dry stone wall (H 0.35m) which is covered with a grassy/heather sod in most places. It is cut into the slope NW->NE where a type of retaining wall (int. H 0.4m) has been built to compensate for the incline. Interior heather and grass covered, with a W-facing slope.



View from W

SITE CH20

SMR No:

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

509052 569220

Circular area (dims. 2.5m N-S; 2m E-W) defined by low drystone wall (H 0.3m) of medium sized flagstones. It is cut into the slope N->ESE where a type of retaining wall (int. H 0.55m) has been built to compensate for the incline. Interior is level and grass covered.



View from SW

SITE CH21

SMR No:

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

509069 569182

Oval area (dims. 4m NW-SE; 3m NE-SW) defined by remains of collapsed drystone wall (Wth 0.8m; H 0.3-0.4m) covered with heather and mosses. Possible entrance (Wth 0.8m) at E. Interior is generally level.



View from W

SITE CH22**SMR No:**

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

509079 569201

Circular area (dims. 2.8m E-W; 2.6m N-S) defined by remains of collapsed drystone wall (Wth 0.6m; H 0.2-0.4m) partially covered in heather and mosses. The ground surface has been raised on the downslope to W to create a level interior.



View from S

SITE CH23**SMR No:**

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Rock Shelter (possible)

ITM:

509023 568504

Rectangular area (dims. c. 2.2m NW-SE; 1.3m NE-SW) defined by remains of a drystone wall (H 0.7m) NNW->NE->ESE and a natural boulder to SE and W->NW. There is an opening (H 0.65m) under the large boulder at W for possible shelter or storage. Lots of naturally occurring stone and rock outcrop in this area which makes this shelter well camouflaged on the hillside.



View from NW

SITE CH24**SMR No:**

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

509119 569209

Low profile circular area (dims. 2.5m E-W; 2.2m N-S) defined by scarp (Wth 0.5m; H 0.25m) all around except N->NE, where it is flat. It comprises of a single kerb (Wth 0.25m) of mossed-over stones. Ground surface on downslope has been raised to create a level interior. Interior moss- covered with occasional heather.



View from W

SITE CH25**SMR No:**

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Enclosure (semi-circular)/booley hut

ITM:

508755 569307

Semi-circular or 'C' shaped area (dims. 6m E-W; 3.5m N-S) defined by low bank (Wth 2.4m; int. H 0.2m; ext. H 0.05m) of mossed covered earth and stone E->S->W; open to N with no trace of bank. Interior is grass covered on a gentle W-facing slope.



View from E

SITE CH26

SMR No:

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

508135 568560

Oval area (dims. 2.75m E-W; 2m N-S) defined by drystone wall (Wth 0.5m; H 0.8-1m); generally well preserved, but collapsed on W side. One of four hut sites (CH26, -27, -28 & -29) in this immediate area.



View from S

SITE CH27

SMR No:

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

508164 568566

Circular area (diam. 1.5m) defined remains of a low drystone wall (Wth 0.6m; int. H 0.35- 0.5m; ext. H 0.25-0.5m). Interior is grass covered on a gentle N-facing slope.



View from N

SITE CH28

SMR No:

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

508164 568566

Located to immediate E of hut site CH27. Low profile remains of a circular area (dims. 3.4m N-S; 3m E-W) defined by moss covered drystone wall (Wth 0.5m; int. H 0.15; ext. H 0.15m). Cut into hillslope (D 0.4m) E->S->W where there is a dense growth of heather. Interior is level and moss-covered.



View from N

SITE CH29**SMR No:**

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

508159 568551

Circular area (dims. 3m NW-SE; 2.75m) defined by low drystone wall NE->S->NW (H 0.3- 0.5m) and incorporated into field wall (long axis E-W) to N.



View from S

SITE CH30**SMR No:**

N/A

TOWNLAND:

Grousemount

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

508033 568508

Circular area (diam. 4m) defined by drystone wall (Wth 0.5m; H 0.6m). Interior appears generally level and has a dense growth of heather.



View from S

SITE CH31**SMR No:**

N/A

TOWNLAND:

Ballagh

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

507748 568715

Low profile oval area (dims. 3.5m E-W; 2m N-S) defined by remains of low stone wall (H 0.15- 0.2m). Small area (dims. 2m N-S; 1.2m E-W) defined by stone within western sector.



View from W

SITE CH32**SMR No:**

N/A

TOWNLAND:

Ballagh

CLASSIFICATION:

Hut Sites – Conjoined

Booley Huts

ITM:

507726 568728

A pair of conjoined (booley) hut sites (long-axis E-W). The eastern hut site (diam. 1.2m) is defined by a collapsed, drystone wall (Wth 0.75m; H 0.15-0.25m). The adjoining western hut site (diam. 1.5m) is defined by a similar collapsed, drystone wall (Wth 0.65m; H 0.15-0.25m). Located within an oval area (dims. 6.5m E-W; 4.5m N-S) defined by a kerb of low profile stones (H 0.25m) which is well defined S->W->N and intermittent N->E->S.



View from NW

SITE CH33**SMR No:**

N/A

TOWNLAND:

Ballagh

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

507570 568770

Oval area (dims 3.1m E-W; 2.25m N-S) defined by the remains of a collapsed drystone wall (H 0.3m).



View from W

SITE CH34**SMR No:**

N/A

TOWNLAND:

Knockanruidig

CLASSIFICATION:

Anomalous Stone Group

ITM:

506741 569403

Three upright, narrow stones located on a level terrace. Southern stone (L 1.1m; H 0.4m; Wth 0.1m); Western stone (L 0.45m; H 0.35m; Wth 0.04m); North-western stone (L 0.5m; H 0.35m; Wth 0.04m). There is a fourth stone visible at ground level on the eastern side of this arrangement. Similar in nature to CH2 and may represent a former chambered tomb.



View from N

SITE CH35**SMR No:**

N/A

TOWNLAND:

Knockanruidig

CLASSIFICATION:

Enclosure/Sheepfold

ITM:

507959 570353

Sub-rectangular area (dims. 9.5m N-S; 5.75m E-W) defined by remains of collapsed, drystone wall (Wth 0.75m; H 0.05m) and natural boulders. Possible entrance at S. Interior is grass-covered with a S-facing slope. Associated with drystone field wall (long axis E-W).



View from S

SITE CH36**SMR No:**

N/A

TOWNLAND:

Knockanruidig

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

508005 570715

Low profile, circular area (dims. 1.9m E-W; 1.5m N-S) defined by the remains of a very low, intermittent, stone wall (Wth 0.5m H 0.2m). Large flat stone (L 1.6m; Wth 0.45m) lying flat on ground to immediate E of this feature. Interior is generally level, grass and moss covered.



View from E

SITE CH37

SMR No:

N/A

TOWNLAND:

Cummeen Upper

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

506266 570808

Rectangular area (dims. 5m E-W; 2.2m N-S) defined by drystone wall (Wth 0.5m; H 1m) E->N->W and natural rock outcrop (H 2.5m) forming S side. Entrance (Wth 0.75m) in W-wall; Upright timber post in entrance and possibly rebuilt and reused as a sheep fold.



View from E

SITE CH38

SMR No:

N/A

TOWNLAND:

Gortlahard

CLASSIFICATION:

Hut Site/Booley Hut

ITM:

508128 572922

Located in an area of grass, on a general NE-facing slope, with a grass covered track c. 4m to W at its closest point. This hut site utilises a natural 'shelf' of rock outcrop in the landscape. It is a sub-circular feature (dims. c. 7.5m E-W; c. 6.5m N-S) defined by a low, drystone wall (overall Wth 2.4m; int. H 0.15m; ext. H 0.55m) S->W->N; scarp (Wth 1.3m; H 1.7m) N->NE; low scarp (Wth 0.3m; H 0.3m) E->SE. The interior is generally level and is covered by grass and rushes. There is a holly tree growing within the interior at N and the feature has been truncated through its eastern sector by modern land drain (long axis NE-SW; Wth 3m; D 1.1m) which enters at SE and exits at NE



View from SW

SITE BH1

SMR No:

N/A

TOWNLAND:

Caherdowney

CLASSIFICATION:

Decorated Stone

ITM:

525994 584258

PROTECTION:


This probable monument is located in the north-eastern corner of a pasture field which slopes gently from north to south and southwest. A number of limestone boulders, recovered during field clearance, have been dumped along the field boundary (Plate 1). The upper surface of one of the boulders incorporates a number of circular hollows, of varying depths and diameters, some of which are filled with soil and/or moss (Plates 2 & 3). There is a possibility that such hollows may be deliberate decoration in the form of cup-marks, although there is also a possibility that these may be natural in origin.

This feature was originally identified during the preparation of an Archaeological

Impact Assessment undertaken in compliance with the grant of planning for the Ballyvouskill Substation Project (Byrne, 2012).



SITE BH1 Possible Decorated Stone – upper boulder



Uppermost Surface



Possible Cup Marks

SITE BH2

SMR No:

CO058-070

TOWNLAND:

Com an Ghadhair

CLASSIFICATION:

Hut Site

ITM:

521504 580542

PROTECTION:

RMP; CCDP

This monument is positioned on the lower southern slopes of the Derrynasaggart Mountains and to the south of Mullaghanish. The area surrounding the site largely comprises protruding bedrock and boulders. It comprises a circular area (5.2m N-S); 5m E-W) on a natural platform (and enclosed by a low collapsed wall (H 0.85m; Wth 1.6m) of loose stones. The interior is level and grass-covered, with some stones protruding through the grass. It is not readily visible from the road, as illustrated in Plate 4.

(Archaeological Survey of Ireland, Record Details) on <http://www.archaeology.ie> Posted 14th January 2009



Positioned to right of bush in centre of plate on edge of platform

SITE BH-3

SMR No:

CO058-100001

TOWNLAND:

An Sliabh Riabhach

CLASSIFICATION:

Designed Landscape - belvedere

This monument is located at the western end of Ballyvourney village and on the northern side of the N22 (Cork – Killarney) road. It comprises a mid-19th century 3-storey tower with projecting battlements supported by corbels; rectangular in plan with 2-bay, 2-storey, gabled projection from NE corner. Known locally as 'Court House' and 'Police Barracks' (Healy, 1988, 20). Tower sited just beyond L-shaped range shown as 'Police Barracks' on 1842 OS 6-inch map. In mid-19th century the Colthurst family built a country house to S; may have built tower at same time. House and tower

ITM:
519561 577746
PROTECTION:
RMP; CCDP (RPS:
00368)

burnt in 1920; house subsequently demolished.

(Archaeological Survey of Ireland, Record Details) on <http://www.archaeology.ie>
Posted 14th January 2009



From road to south

SITE BH-4

SMR No:
CO068-001
TOWNLAND:

Ré na bPobal

CLASSIFICATION:

Kiln - lime

ITM:
513921 574578

PROTECTION:
RMP; CCDP

This monument is located on the northern side of the Ballyvourney – Kilgarvan road and on the edge of forest plantation. It comprises an overgrown and partially collapsed mid-19th century kiln; front elevation has a lintelled recess (H 1.6m; Wth: 1.55m; D 2m) with sloping slabs to rear; incorporates a stone-lined circular funnel (diam. 1.65m).

(Archaeological Survey of Ireland, Record Details) on <http://www.archaeology.ie>
Posted 14th January 2009



Front elevation